

**APPENDIX A: Golden Star Announces Drilling Results at its Wassa and Father Brown Deposits Including the Extension of Gold Mineralization at Both Locations**

*Supplemental Document to Press Release Dated: July 15, 2019*

**All Wassa Surface drilling results from the underground Inferred to Indicated conversion drilling, Inferred expansion and Step out drilling – Post Year end Resource Model Estimates**

| HOLE ID     | Azimuth (°) | Dip (°) | From (m) | To (m) | Drilled Width (m) | ~True Width (m) | Grade Au (g/t) | Drilling Objective | Target  |
|-------------|-------------|---------|----------|--------|-------------------|-----------------|----------------|--------------------|---------|
| BS18DD392D3 | 75.0        | -51.0   | 1017.8   | 1033.2 | 15.4              | 12.8            | 2.1            | Inf Expansion      | F Shoot |
| BS18DD392D3 | 74.9        | -50.8   | 1051.2   | 1078   | 27                | 22.4            | 2.5            | Inf Expansion      | F Shoot |
| BS18DD392D3 | 72.5        | -47.8   | 1223.9   | 1233   | 9                 | 7.7             | 3.7            | Inf Expansion      | F Shoot |
| BS18DD393D4 | 179.1       | -83.4   | 62.0     | 71.3   | 9.3               | 6.8             | 1.0            | Inf Conversion     | B Shoot |
| BS18DD393D4 | 178.3       | -83.9   | 74.5     | 95.6   | 21.1              | 15.2            | 13.2           | Inf Conversion     | B Shoot |
| BS18DD393D4 | 179.4       | -84.0   | 99.6     | 110.8  | 11.2              | 8.1             | 1.1            | Inf Conversion     | B Shoot |
| BS18DD393D4 | 183.5       | -84.7   | 138.4    | 149.0  | 10.6              | 4.5             | 2.1            | Inf Conversion     | B Shoot |
| BS18DD393D4 | 189.6       | -85.2   | 158.0    | 163.0  | 5.0               | 2.1             | 2.7            | Inf Conversion     | B Shoot |
| BS18DD393D4 | 154.1       | -84.0   | 174.3    | 186.8  | 12.5              | 5.5             | 6.3            | Inf Conversion     | B Shoot |
| BS18DD393D4 | 156.0       | -84.6   | 219.4    | 228.8  | 9.4               | 4.0             | 3.6            | Inf Conversion     | B Shoot |
| BS18DD393D4 | 153.9       | -85.2   | 259.2    | 271.9  | 12.7              | 5.3             | 2.2            | Inf Conversion     | B Shoot |
| BS18DD393D5 | 123.9       | -77.6   | 30.2     | 53.7   | 23.5              | 18.6            | 1.8            | Inf Conversion     | B Shoot |
| BS18DD393D5 | 123.4       | -77.7   | 60.0     | 89.0   | 29.0              | 22.9            | 2.9            | Inf Conversion     | B Shoot |
| BS18DD393D5 | 121.2       | -77.8   | 92.0     | 98.0   | 6.0               | 4.7             | 1.9            | Inf Conversion     | B Shoot |
| BS18DD393D5 | 121.2       | -77.8   | 103.0    | 105.0  | 2.0               | 1.6             | 2.8            | Inf Conversion     | B Shoot |
| BS18DD393D5 | 120.3       | -77.8   | 116.0    | 133.0  | 17.0              | 9.1             | 3.7            | Inf Conversion     | B Shoot |
| BS18DD393D5 | 118.5       | -78.1   | 164.0    | 168.0  | 4.0               | 2.1             | 2.4            | Inf Conversion     | B Shoot |
| BS18DD393D5 | 119.3       | -78.2   | 292.0    | 308.0  | 16.0              | 8.4             | 2.0            | Inf Conversion     | B Shoot |
| BS18DD393D5 | 118.1       | -78.0   | 331.2    | 346.0  | 14.8              | 7.8             | 2.9            | Inf Conversion     | B Shoot |
| BS18DD393D5 | 116.2       | -78.4   | 364.0    | 371.0  | 7.0               | 3.7             | 1.8            | Inf Conversion     | B Shoot |
| BS18DD393D5 | 115.2       | -78.2   | 403.0    | 417.5  | 14.5              | 7.6             | 1.9            | Inf Conversion     | B Shoot |
| BS18DD393D5 | 113.6       | -78.2   | 467.0    | 481.0  | 14.0              | 7.4             | 3.1            | Inf Conversion     | B Shoot |
| BS18DD393D5 | 112.2       | -78.5   | 499.0    | 513.8  | 14.8              | 7.7             | 3.9            | Inf Conversion     | B Shoot |
| BS18DD393D5 | 110.0       | -78.6   | 528.8    | 552.5  | 23.7              | 12.3            | 0.9            | Inf Conversion     | B Shoot |
| BS18DD393D6 | 110.9       | -69.6   | 83.0     | 122.8  | 39.8              | 34.6            | 7.6            | Inf Conversion     | B Shoot |
| BS18DD393D6 | 109.3       | -69.9   | 142.0    | 145.1  | 3.1               | 2.0             | 2.2            | Inf Conversion     | B Shoot |
| BS18DD393D6 | 108.9       | -69.9   | 149.7    | 178.0  | 28.3              | 18.2            | 2.5            | Inf Conversion     | B Shoot |
| BS18DD393D6 | 106.3       | -69.4   | 298.8    | 314.0  | 15.2              | 9.9             | 1.3            | Inf Conversion     | B Shoot |
| BS18DD393D6 | 105.3       | -68.8   | 383.1    | 413.8  | 30.7              | 20.2            | 3.3            | Inf Conversion     | B Shoot |
| BS18DD393D6 | 104.3       | -68.5   | 436.0    | 450.0  | 14.0              | 9.3             | 1.6            | Inf Conversion     | B Shoot |
| BS18DD393D6 | 103.7       | -68.1   | 475.4    | 481.5  | 6.1               | 4.1             | 1.6            | Inf Conversion     | B Shoot |
| BS18DD394D1 | 84.8        | -64.2   | 120.0    | 125.4  | 5.4               | 3.0             | 3.6            | Inf Expansion      | B Shoot |
| BS18DD394D1 | 84.7        | -63.9   | 133.0    | 138.5  | 5.5               | 3.1             | 3.6            | Inf Expansion      | B Shoot |

| HOLE ID                | Azimuth (°) | Dip (°) | From (m) | To (m) | Drilled Width (m) | ~True Width (m) | Grade Au (g/t) | Drilling Objective | Target    |
|------------------------|-------------|---------|----------|--------|-------------------|-----------------|----------------|--------------------|-----------|
| BS18DD394D1            | 84.7        | -64.0   | 146.4    | 152.0  | 5.6               | 3.1             | 4.5            | Inf Expansion      | B Shoot   |
| BS18DD394D1            | 86.3        | -63.5   | 199.0    | 206.0  | 7.0               | 4.0             | 1.1            | Inf Expansion      | B Shoot   |
| BS18DD394D1            | 86.5        | -63.4   | 212.0    | 219.0  | 7.0               | 4.0             | 5.1            | Inf Expansion      | B Shoot   |
| BS18DD394D1            | 86.8        | -63.3   | 235.0    | 243.0  | 8.0               | 4.6             | 1.1            | Inf Expansion      | B Shoot   |
| BS18DD394D1            | 86.8        | -62.6   | 274.0    | 275.0  | 1.0               | 0.6             | 16.6           | Inf Expansion      | B Shoot   |
| BS18DD394D1            | 81.6        | -56.7   | 329.2    | 347.2  | 18.0              | 11.9            | 2.4            | Inf Expansion      | B Shoot   |
| BS18DD394D1            | 82.3        | -55.2   | 361.3    | 381.8  | 20.5              | 13.9            | 3.2            | Inf Expansion      | B Shoot   |
| BS18DD394D1            | 84.2        | -54.6   | 407.0    | 413.0  | 6.0               | 4.1             | 1.6            | Inf Expansion      | B Shoot   |
| BS18DD394D1            | 84.2        | -54.5   | 421.8    | 447.4  | 25.6              | 17.6            | 34.1           | Inf Expansion      | B Shoot   |
| <i>Including</i>       | 84.2        | -54.5   | 424.5    | 425.0  | 0.5               | 0.3             | 1548.0         | Inf Expansion      | B Shoot   |
| <i>Including</i>       | 84.4        | -54.7   | 436.4    | 439.4  | 3.0               | 2.1             | 19.8           | Inf Expansion      | B Shoot   |
| <i>Capped @ 30 g/t</i> | 84.2        | -54.5   | 421.8    | 447.4  | 25.6              | 17.6            | 4.5            | Inf Expansion      | B Shoot   |
| BS18DD394D1            | 83.9        | -55.1   | 456.4    | 479.4  | 23.0              | 15.7            | 4.1            | Inf Expansion      | B Shoot   |
| BS18DD394D1            | 83.2        | -55.6   | 495.4    | 504.2  | 8.8               | 5.9             | 2.3            | Inf Expansion      | B Shoot   |
| BS18DD394D1            | 82.8        | -55.6   | 511.0    | 514.0  | 3.0               | 2.0             | 5.5            | Inf Expansion      | B Shoot   |
| BS18DD394D1            | 82.1        | -55.4   | 521.0    | 528.0  | 7.0               | 4.7             | 1.2            | Inf Expansion      | B Shoot   |
| BS18DD394D1            | 80.8        | -53.7   | 616.6    | 624.2  | 7.6               | 5.3             | 1.5            | Inf Expansion      | B Shoot   |
| BS18DD395M             | 94.8        | -72.0   | 165.6    | 179.2  | 13.6              | 9.3             | 1.2            | Step Out           | WUG Deeps |
| BS18DD395M             | 92.9        | -71.6   | 307.8    | 311.0  | 3.2               | 2.2             | 1.7            | Step Out           | WUG Deeps |
| BS18DD395M             | 95.2        | -70.8   | 551.5    | 553.9  | 2.4               | 1.7             | 2.9            | Step Out           | WUG Deeps |
| BS18DD395M             | 82.6        | -76.1   | 850.3    | 856.1  | 5.8               | 3.6             | 3.6            | Step Out           | WUG Deeps |
| BS18DD395M             | 82.5        | -76.3   | 859.0    | 866.0  | 7.0               | 4.4             | 1.0            | Step Out           | WUG Deeps |
| BS18DD395M             | 82.3        | -76.5   | 872.0    | 877.0  | 5.0               | 3.1             | 1.4            | Step Out           | WUG Deeps |
| BSDD19-396M            | 94.5        | -66.7   | 300.0    | 303.0  | 3.0               | 2.7             | 2.1            | Inf Conversion     | B Shoot   |
| BSDD19-396M            | 94.8        | -65.6   | 354.0    | 361.0  | 7.0               | 6.3             | 1.5            | Inf Conversion     | B Shoot   |
| BSDD19-396M            | 79.4        | -65.7   | 512.6    | 517.8  | 5.2               | 3.6             | 2.4            | Inf Conversion     | B Shoot   |
| BSDD19-396M            | 78.0        | -65.5   | 542.0    | 546.8  | 4.8               | 3.4             | 2.3            | Inf Conversion     | B Shoot   |
| BSDD19-396M            | 77.5        | -65.8   | 560.6    | 562.2  | 1.6               | 1.1             | 3.4            | Inf Conversion     | B Shoot   |
| BSDD19-396M            | 73.7        | -66.5   | 724.4    | 728.4  | 4.0               | 2.8             | 1.7            | Inf Conversion     | B Shoot   |
| BSDD19-396D1           | 88.7        | -70.7   | 63.3     | 69.7   | 6.4               | 5.5             | 3.3            | Inf Conversion     | B Shoot   |
| BSDD19-396D1           | 82.1        | -70.9   | 271.0    | 276.2  | 5.2               | 3.3             | 1.6            | Inf Conversion     | B Shoot   |
| BSDD19-396D1           | 81.6        | -70.8   | 283.4    | 306.0  | 22.6              | 14.3            | 6.2            | Inf Conversion     | B Shoot   |
| BSDD19-396D2           | 92.2        | -55.8   | 478.0    | 506.0  | 28.0              | 22.7            | 4.1            | Inf Conversion     | B Shoot   |

| HOLE ID             | Azimuth (°) | Dip (°)      | From (m)                                | To (m)       | Drilled Width (m) | ~True Width (m) | Grade Au (g/t) | Drilling Objective   | Target    |
|---------------------|-------------|--------------|---|--------------|-------------------|-----------------|----------------|----------------------|-----------|
| BSDD19001           | 89.6        | -77.7        | 148.8                                   | 155.2        | 6.4               | 3.7             | 1.5            | Inf Conversion       | B Shoot   |
| BSDD19001           | 92.0        | -79.7        | 369.0                                   | 374.0        | 5.0               | 2.7             | 2.0            | Inf Conversion       | B Shoot   |
| BSDD19001           | 91.2        | -79.6        | 380.8                                   | 387.7        | 6.9               | 3.8             | 0.9            | Inf Conversion       | B Shoot   |
| BSDD19001           | 90.4        | -79.9        | 398.0                                   | 401.2        | 3.2               | 1.7             | 4.8            | Inf Conversion       | B Shoot   |
| BSDD19001           | 88.2        | -80.4        | 421.0                                   | 424.7        | 3.7               | 2.0             | 1.2            | Inf Conversion       | B Shoot   |
| BSDD19001           | 80.6        | -80.8        | 491.2                                   | 496.2        | 5.0               | 2.7             | 1.6            | Inf Conversion       | B Shoot   |
| BSDD19002           | 99.5        | -62.3        | 94.0                                    | 98.8         | 4.8               | 4.5             | 1.4            | Inf Conversion       | B Shoot   |
| BSDD19002           | 98.1        | -62.5        | 190.5                                   | 198.1        | 7.6               | 7.1             | 1.8            | Inf Conversion       | B Shoot   |
| BSDD19002           | 90.9        | -64.0        | 255.2                                   | 259.4        | 4.2               | 3.9             | 1.2            | Inf Conversion       | B Shoot   |
| BSDD19002           | 87.7        | -64.3        | 323.2                                   | 325.6        | 2.4               | 2.2             | 5.7            | Inf Conversion       | B Shoot   |
| BSDD19002           | 78.5        | -64.8        | 499.0                                   | 502.0        | 3.0               | 2.8             | 1.4            | Inf Conversion       | B Shoot   |
| BSDD19002           | 80.1        | -66.4        | 553.0                                   | 556.0        | 3.0               | 2.7             | 7.5            | Inf Conversion       | B Shoot   |
| BSDD19003           | 68.7        | -82.8        | 676.0                                   | 683.8        | 7.8               | 1.3             | 3.8            | Inf Conversion       | B Shoot   |
| BSDD19004           | 87.6        | -65.3        | 355.0                                   | 369.6        | 14.6              | 13.4            | 1.6            | Inf Conversion       | B Shoot   |
| BSDD19004           | 87.2        | -64.1        | 472.0                                   | 488.0        | 16.0              | 14.8            | 2.6            | Inf Conversion       | B Shoot   |
| BS18DD392D3         | 75.3        | -51.2        | 1017.8                                  | 1033.2       | 15.4              | 10.2            | 2.1            | <i>Inf Expansion</i> | WUG deeps |
| BS18DD392D3         | 74.6        | -50.4        | 1051.2                                  | 1078.2       | 27.0              | 18.1            | 2.5            | <i>Inf Expansion</i> | WUG deeps |
| BS18DD392D3         | 70.6        | -48.0        | 1223.9                                  | 1232.9       | 9.0               | 6.3             | 3.7            | <i>Inf Expansion</i> | WUG deeps |
| BSDD19-392D4        |             |              | Hole terminated due to down hole issues |              |                   |                 |                |                      |           |
| BSDD19-388D3        | 82.6        | -67.9        | 355.5                                   | 382.0        | 26.5              | 25.2            | 3.3            | <i>Inf Expansion</i> | B Shoot   |
| BSDD19-388D3        | 81.8        | -67.0        | 395.1                                   | 397.9        | 2.8               | 2.7             | 5.9            | <i>Inf Expansion</i> | B Shoot   |
| BSDD19-388D3        | 85.0        | -67.3        | 406.0                                   | 410.5        | 4.5               | 4.3             | 12.2           | <i>Inf Expansion</i> | B Shoot   |
| <i>BSDD19-388D3</i> | <i>81.3</i> | <i>-66.4</i> | <i>423.2</i>                            | <i>453.4</i> | <i>30.2</i>       | <i>29.0</i>     | <i>5.5</i>     | <i>Inf Expansion</i> | B Shoot   |
| BSDD19-388D3        | 79.8        | -65.3        | 499.8                                   | 505.0        | 5.2               | 5.0             | 2.7            | <i>Inf Expansion</i> | B Shoot   |
| BSDD19-388D3        | 77.0        | -65.1        | 540.3                                   | 546.5        | 6.2               | 6.0             | 12.6           | <i>Inf Expansion</i> | B Shoot   |
| BSDD19-388D3        | 82.3        | -62.9        | 616.0                                   | 624.0        | 8.0               | 7.8             | 2.5            | <i>Inf Expansion</i> | B Shoot   |
| BSDD19-388D3        | 83.4        | -62.7        | 633.6                                   | 642.2        | 8.6               | 8.4             | 6.5            | <i>Inf Expansion</i> | B Shoot   |
| <i>BSDD19-388D3</i> | <i>85.6</i> | <i>-63.7</i> | <i>774.0</i>                            | <i>816.0</i> | <i>42.0</i>       | <i>32.8</i>     | <i>5.3</i>     | <i>Inf Expansion</i> | B Shoot   |
| BSDD19-388D3        | 86.6        | -61.3        | 829.5                                   | 834.0        | 4.5               | 3.6             | 2.1            | <i>Inf Expansion</i> | B Shoot   |
| BSDD19-388D3        | 86.2        | -61.6        | 845.0                                   | 851.0        | 6.0               | 4.8             | 5.7            | <i>Inf Expansion</i> | B Shoot   |
| BSDD19-388D3        | 91.6        | -58.0        | 1045.5                                  | 1052.0       | 6.5               | 5.5             | 1.7            | <i>Inf Expansion</i> | B Shoot   |
| BSDD19-388D3        | 91.6        | -58.0        | 1058.0                                  | 1062.5       | 4.5               | 3.8             | 2.7            | <i>Inf Expansion</i> | B Shoot   |
| BSDD19-388D3        | 89.0        | -56.5        | 1080.3                                  | 1089.5       | 9.2               | 7.8             | 2.1            | <i>Inf Expansion</i> | B Shoot   |
| BSDD19-394D2        | 80.8        | -76.6        | 94.9                                    | 98.1         | 3.2               | 2.9             | 5.7            | <i>Inf Expansion</i> | B Shoot   |
| BSDD19-394D2        | 80.7        | -76.8        | 112.5                                   | 116.5        | 4.0               | 3.6             | 11.1           | <i>Inf Expansion</i> | B Shoot   |
| BSDD19-394D2        | 80.5        | -75.7        | 126.0                                   | 132.5        | 6.5               | 5.9             | 3.3            | <i>Inf Expansion</i> | B Shoot   |

| HOLE ID             | Azimuth (°) | Dip (°)      | From (m)     | To (m)       | Drilled Width (m) | ~True Width (m) | Grade Au (g/t) | Drilling Objective   | Target     |
|---------------------|-------------|--------------|--------------|--------------|-------------------|-----------------|----------------|----------------------|------------|
| BSDD19-394D2        | 80.5        | -75.6        | 137.7        | 145.2        | 7.5               | 6.8             | 2.5            | <i>Inf Expansion</i> | B Shoot    |
| BSDD19-394D2        | 80.5        | -75.9        | 198.7        | 205.0        | 6.3               | 5.7             | 2.8            | <i>Inf Expansion</i> | B Shoot    |
| <i>BSDD19-394D2</i> | <i>79.5</i> | <i>-75.9</i> | <i>214.0</i> | <i>239.2</i> | <i>25.2</i>       | <i>22.7</i>     | <i>8.9</i>     | <i>Inf Expansion</i> | B Shoot    |
| BSDD19-394D2        | 78.3        | -75.5        | 298.4        | 302.5        | 4.1               | 3.7             | 1.8            | <i>Inf Expansion</i> | B Shoot    |
| BSDD19-394D2        | 76.7        | -76.4        | 807.0        | 824.0        | 17.0              | 5.7             | 4.4            | <i>Inf Expansion</i> | F Shoot    |
| BSDD19-394D2        | 71.5        | -75.7        | 911.6        | 918.1        | 6.5               | 2.3             | 3.8            | <i>Inf Expansion</i> | F Shoot    |
| BSDD19-394D3        | 76.3        | -79.9        | 99.2         | 107.0        | 7.8               | 4.5             | 5.0            | <i>Inf Expansion</i> | B Shoot    |
| BSDD19-394D3        | 70.4        | -80.6        | 152.0        | 164.0        | 12.0              | 6.8             | 7.9            | <i>Inf Expansion</i> | B Shoot    |
| BSDD19-394D3        | 74.4        | -84.6        | 214.3        | 220.3        | 6.0               | 3.0             | 4.8            | <i>Inf Expansion</i> | B Shoot    |
| BSDD19-394D3        | 55.0        | -85.6        | 249.8        | 257.0        | 7.2               | 3.5             | 1.0            | <i>Inf Expansion</i> | B Shoot    |
| BSDD19-394D3        | 55.0        | -85.1        | 261.0        | 278.0        | 17.0              | 8.5             | 2.4            | <i>Inf Expansion</i> | B Shoot    |
| BSDD19-394D3        | 92.8        | -81.1        | 427.0        | 430.0        | 3.0               | 1.7             | 12.8           | <i>Inf Expansion</i> | B Shoot    |
| BSDD19-394D3        | 88.6        | -81.0        | 516.5        | 545.0        | 28.5              | 15.9            | 4.5            | <i>Inf Expansion</i> | B Shoot    |
| BSDD19-394D3        | 87.4        | -81.3        | 552.0        | 563.5        | 11.5              | 6.4             | 1.9            | <i>Inf Expansion</i> | B Shoot    |
| BSDD19-394D3        | 87.5        | -81.3        | 567.0        | 575.2        | 8.2               | 4.5             | 3.9            | <i>Inf Expansion</i> | B Shoot    |
| BSDD19-394D3        |             |              | 771.8        | 1202.4       | Assays Pending    |                 |                |                      | F Shoot    |
| <i>BSDD19-396D2</i> | <i>92.4</i> | <i>-55.8</i> | <i>478.0</i> | <i>506.0</i> | <i>28.0</i>       | <i>25.6</i>     | <i>4.1</i>     | FW target            | B Shoot FW |
| BSDD19-397M         | 77.7        | -79.2        | 666.0        | 683.0        | 17.0              | 10.2            | 6.8            | Inf Conversion       | B Shoot    |
| BSDD19-397M         | 73.7        | -79.4        | 714.5        | 728.0        | 13.5              | 8.0             | 1.8            | Inf Conversion       | B Shoot    |
| BSDD19-397M         | 72.5        | -79.6        | 749.8        | 760.4        | 10.6              | 6.3             | 2.3            | Inf Conversion       | B Shoot    |
| BSDD19-397M         | 84.1        | -80.2        | 778.5        | 784.2        | 5.7               | 3.3             | 2.4            | Inf Conversion       | B Shoot    |
| <i>BSDD19-397M</i>  | <i>81.7</i> | <i>-80.3</i> | <i>787.8</i> | <i>811.6</i> | <i>23.8</i>       | <i>13.9</i>     | <i>3.2</i>     | Inf Conversion       | B Shoot    |
| BSDD19-397M         | 78.3        | -80.4        | 817.3        | 821.2        | 3.9               | 2.3             | 3.4            | Inf Conversion       | B Shoot    |
| BSDD19-398D1        | 91.5        | -57.6        | 154.4        | 160.3        | 5.9               | 5.0             | 1.9            | Inf Conversion       | B Shoot    |
| BSDD19-398D1        | 90.2        | -59.1        | 220.5        | 229.5        | 9.0               | 7.5             | 5.5            | Inf Conversion       | B Shoot    |
| BSDD19-398D1        | 90.0        | -59.2        | 239.5        | 244.5        | 5.0               | 4.1             | 3.7            | Inf Conversion       | B Shoot    |
| BSDD19-398D1        | 92.2        | -60.8        | 453.3        | 458.7        | 5.4               | 4.4             | 1.5            | Inf Conversion       | B Shoot    |
| BSDD19-398D1        | 92.1        | -61.7        | 549.4        | 552.4        | 3.0               | 2.4             | 7.2            | Inf Conversion       | B Shoot    |
| BSDD19-398D2        | 76.1        | -72.8        | 410.5        | 414.5        | 4.0               | 2.7             | 1.9            | Inf Conversion       | B Shoot    |
| BSDD19-398D2        | 73.6        | -73.1        | 446.0        | 451.0        | 5.0               | 3.3             | 6.2            | Inf Conversion       | B Shoot    |
| BSDD19-398D2        | 71.5        | -73.2        | 517.0        | 523.0        | 6.0               | 4.0             | 2.4            | Inf Conversion       | B Shoot    |
| BSDD19-398D3        | 68.8        | -80.9        | 326.3        | 335.0        | 8.7               | 6.3             | 4.8            | Inf Conversion       | B Shoot    |
| BSDD19-398D3        | 62.7        | -81.1        | 352.2        | 361.4        | 9.2               | 6.6             | 1.8            | Inf Conversion       | B Shoot    |
| BSDD19-398D3        | 62.7        | -81.1        | 368.6        | 372.4        | 3.8               | 2.7             | 3.8            | Inf Conversion       | B Shoot    |
| BSDD19-398D3        | 53.8        | -81.0        | 445.5        | 459.5        | 14.0              | 10.1            | 2.4            | Inf Conversion       | B Shoot    |
| BSDD19-398D3        | 53.6        | -80.4        | 474.0        | 478.0        | 4.0               | 2.9             | 2.2            | Inf Conversion       | B Shoot    |
| BSDD19-398M         | 82.6        | -66.1        | 584.0        | 590.2        | 6.2               | 4.7             | 8.7            | Inf Conversion       | B Shoot    |
| BSDD19-398M         | 85.2        | -65.3        | 607.2        | 612.0        | 4.8               | 3.7             | 2.7            | Inf Conversion       | B Shoot    |

| HOLE ID            | Azimuth (°)  | Dip (°)      | From (m)                     | To (m)        | Drilled Width (m) | ~True Width (m) | Grade Au (g/t) | Drilling Objective | Target     |
|--------------------|--------------|--------------|------------------------------|---------------|-------------------|-----------------|----------------|--------------------|------------|
| BSDD19-398M        | 84.6         | -62.8        | 923.3                        | 929.1         | 5.8               | 4.6             | 2.5            | Inf Conversion     | B Shoot    |
| BSDD19-398M        | 84.6         | -62.8        | 934.1                        | 936.3         | 2.2               | 1.7             | 4.1            | Inf Conversion     | B Shoot    |
| <i>BSDD19-400M</i> | <i>266.1</i> | <i>-60.1</i> | <i>1227.0</i>                | <i>1263.3</i> | <i>36.3</i>       | <i>19.5</i>     | <i>5.4</i>     | <i>Step out</i>    | WUG deeps  |
| 242DD19001         | 324.6        | -61.3        | 349.9                        | 356.0         | 6.1               | 5.7             | 1.7            | Inf Expansion      | 242 target |
| 242DD19002         | 325.5        | -65.0        | 196.0                        | 200.0         | 4.0               | 3.6             | 1.5            | Inf Expansion      | 242 target |
| 242DD19002         | 323.0        | -62.8        | 432.0                        | 437.0         | 5.0               | 4.6             | 7.4            | Inf Expansion      | 242 target |
| 242DD19002         | 322.6        | -62.3        | 457.0                        | 459.0         | 2.0               | 1.9             | 2.5            | Inf Expansion      | 242 target |
| 242DD19003         |              |              | No Significant intersections |               |                   |                 |                | Inf Expansion      | 242 target |
| 242DD19004         | 324.2        | -59.9        | 569.2                        | 573.2         | 4.0               | 3.8             | 2.3            | Inf Expansion      | 242 target |